



1/17

FIG. 1



2/17


FIG. 1-A -1



BEST AVAILABLE COPY

3/17


FIG. 1-A-2



BEST AVAILABLE COPY


4/17

FIG. 1-A-3



5/17


FIG. 1-B



BEST AVAILABLE COPY

6/17

FIG. 1-C



BEST AVAILABLE COPY

7/17


FIG. 1-D



BEST AVAILABLE COPY

8/17


FIG. 1-E



BEST AVAILABLE COPY

9/17


FIG. 1-F



BEST AVAILABLE COPY

10/17


FIG. 2-A



BEST AVAILABLE COPY

11/17


FIG. 2-B



BEST AVAILABLE COPY

12/17


FIG. 2-C



BEST AVAILABLE COPY

13/17

FIG. 3-A




BEST AVAILABLE COPY

METHOD OF SYNTHESIZING NANORODS BY REACTION OF METAL-SURFACTANT
COMPLEXES INJECTED USING A SYRINGE PUMP
Attorney Docket No. 9907-004/Application No. Not Yet Assigned

14/17

FIG. 3-B



15/17


FIG. 4-A



BEST AVAILABLE COPY

16/17


FIG. 4-B



BEST AVAILABLE COPY

17/17

FIG. 4-C



BEST AVAILABLE COPY